

SUSTAINABILITY OF NUCLEAR ENERGY WITH REGARD TO DECOMMISSIONING AND WASTE MANAGEMENT

S. LINDSKOG², B. LABOR³ AND R. SJÖBLOM¹,

¹The Swedish Radiation Safety Authority, Sweden

²Bakdania Dydaktycne, Poland

³Tekedo AB, Sweden

ABSTRACT

The paper analyses the sustainability aspects of nuclear power with regard to environmental liabilities associated with decommissioning of nuclear facilities and with waste management. Sustainability is defined and literature is reviewed on evaluation of sustainability in the nuclear and coal energy fields. It is found that the results are incoherent and that methodologies for evaluations are needed as well as adequately structured knowledge bases. Examples of such tools and work are presented from the perspective of the Swedish Radiation Safety Authority.

Different aspects of nuclear energy sustainability are reviewed and summarized, and it is found that appropriate management of the nuclear liability associated with protection of health and the environment - now and in the future - is a necessary prerequisite in order for nuclear power to qualify as sustainable.

Analyses in a historical perspective show that sustainability awareness has been around for at least as long as agriculture, and that some shortcomings are actually modern inventions. The analyses also show that sustainability awareness may appear as trends and that comprehensive perspectives are essential.

Planning for decommissioning and the estimation of associated costs have proven to be treacherous exercises. Moreover, the timing of the planning must be based on the need for appropriate finance so that adequate funds are available at the time when they are needed. It is the duty of our generation to assess what is adequate and to find responsible solutions. But we should also ask the next generation and carefully consider the perspective that they provide to us.

Keywords: sustainability, nuclear, liability, segregated fund, cost calculation, younger stakeholders.

1 BACKGROUND, PURPOSE AND SCOPE

1.1 Nuclear liability evaluation and financing in Sweden

Generally, it is not forbidden by law for natural persons and other private legal entities to perform activities that have a potential for causing detriment to health and environment. Instead, it is the risk for such detriment that is being regulated in various legislations and that is also overseen by various Authorities.

Thus, in Sweden, it is the task of the Swedish Radiation Safety Authority (SSM), (Swedish name Strålsäkerhetsmyndigheten) to oversee radiation protection, under The Radiation Protection Act[1], and nuclear activities, under the Act on Nuclear Activities[2]). The oversight covers all kinds of such activities, including nuclear electric power generation.

Similarly, SSM also oversees the planning for the final storage of the nuclear waste, the planning for the decommissioning of nuclear facilities and the system for financing the associated future costs. This financial oversight is carried out under the Nuclear Liability Act[3] which stipulates that plans and cost calculations shall be submitted to SSM each year for nuclear power plants and every third year for other facilities.

For nuclear power plants, there are two “compartments” for securities and fees to segregated funds managed by the Government:

- A the anticipated costs for decommissioning and waste management e t c, and
- B a risk fee intended to cover the risk that the Government takes in its management of the fund system.

Compartment A comprises a combination of securities (unlimited in time) and assets in segregated funds. Securities are lifted at the same pace as that of the payments that flow into the segregated funds.

In addition, securities must be provided to cover "unplanned events".

It is the owners and operators of the nuclear facilities that carry the full responsibility for protecting health and the environment. They also have the full responsibility to ensure that adequate funding is available at the time when it is needed for any associated liabilities. The role of SSM and other Authorities is to instigate such work and to ensure that those eligible fulfil all their obligations.

Most of the nuclear liabilities are associated with our 12 modern nuclear power plants, 10 of which are presently in operation. But more than 10 % of the total estimated decommissioning liabilities are associated with old nuclear technology development facilities, including the Ågesta nuclear power reactor which was in operation during 1963-1973. Actually, facilities covering laboratory and pilot scale work on most of the nuclear fuel cycle were built at the Studsvik site which used to be our nuclear national laboratory.

There are considerable obstacles and pitfalls related to the planning and associated cost estimates, especially for old facilities. It is therefore a daunting and demanding task for owners and operators to comply with the requirements on financial planning. Similarly, the SSM needs a good knowledge base for its oversight, and accordingly, it is also the duty of the SSM to carry out and to commission relevant research work.[4] Recent publications include References [5-14].

1.2 Purpose and scope

The purpose of the present paper is to analyze the sustainability aspects of nuclear power with regard to environmental liabilities associated with decommissioning of nuclear facilities and with waste management.

The objective is to contribute to the knowledge base needed for assessments of sustainability for nuclear power in general and for comparisons between different sources of energy. The objective is also to illustrate how environmental liabilities can be managed for different energy systems and in different fields of technology.

Thus, Section 2 provides some thoughts on system analysis and comparison together with the associated need for tools. The elements of nuclear energy sustainability are presented in section 3, and examples of recent work are summarized in sections 4 and 5.

2..SUSTAINABILITY AND ASSOCIATED METHODOLOGIES FOR ANALYSIS AND COMPARISON

2.1 Sustainability definitions

According to the Brundtland report[15] from 1987, sustainable development can be defined as follows:

"Sustainable development is development that meets the needs of the present without compromising the ability of future generations to meet their own needs. It contains within it two key concepts:

- *the concept of 'needs', in particular the essential needs of the world's poor, to which overriding priority should be given; and*
- *the idea of limitations imposed by the state of technology and social organization on the environment's ability to meet present and future needs."*

This principle of sustainable development is closely associated with the polluter pays principle (PPP). It is also dealt with in the Brundtland report[15] which in this case refers to an OECD decision from 1972[16] according to which environmental costs should be included in the prices of various commodities. A corollary to the polluter pays principle is the principle of equity between generations.

The balancing of future risks, costs and benefits fairly across generations was dealt with by a panel of the United States National Academy of Public Administration[17], and some of the conclusions are as follows:

Trustee Principle — *Every generation has obligations as trustee to protect the interests of future generations.*

Sustainability Principle — *No generation should deprive future generations of the opportunity for a quality of life comparable to its own.*

Chain of Obligation Principle — *Each generation's primary obligation is to provide for the needs of the living and succeeding generations. Near-term concrete hazards have priority over long-term hypothetical hazards.*

Precautionary Principle — *Actions that pose a realistic threat of irreversible harm or catastrophic consequences should not be pursued unless there is some compelling countervailing need to benefit either current or future generations."*

These conclusions are reiterated and elaborated on in an OECD Nuclear Energy Agency (NEA) report[18] on decommissioning funding and associated ethics.

2.2 The need for tools and knowledge bases for assessments

It might be tempting to assume that the above quoted basic principles might be readily applied to various industrial activities including energy production. However, the conclusions reached are not entirely coherent.

For instance, the World Nuclear Association concludes the following[19]:

"Our confidence that nuclear power is a 'sustainable development' technology because its fuel will be available for multiple centuries, its safety record is superior among major energy sources, its consumption causes virtually no pollution, its use preserves valuable fossil resources for future generations, its costs are competitive and still declining, and its waste can be securely managed over the long-term".

Similar conclusions, albeit expressed somewhat more moderately, can be found in a report[20] from the OECD/NEA.

The conclusion above "that the waste can be securely managed" should not be interpreted to imply that systems are in place for final disposal of all nuclear waste in all countries. In fact, comprehensive research - including demonstrations on pilot scales - has been carried out, but no country has yet commissioned a repository for civilian spent nuclear fuel or high level waste from reprocessing of such fuel.

Actually, OECD/NEA, the International Atomic Energy Agency (IAEA) and others are very active in promoting adequate decommissioning of nuclear facilities after the end of their useful life and appropriate management the nuclear waste. Details on the selection of strategies for decommissioning can be found in an OECD/NEA report[21].

What about comparison with other sources of energy? The present authors have not carried out any extensive searches on this issue, and there may not be very many publications anyway.

However, residues from thermonuclear and "thermochemical" energy generation are being compared in a recent OECD/NEA report[22]. Nothing embarrassing is presented in [22] on the residues from coal combustion (the topic of the report), but without proper reference, the report states that emissions from coal combustion cause almost one million fatalities a year (no comparison was found with emissions from nuclear facilities under normal and accident conditions). Since the quote is out of context, the reader is lead to believe that this is what happens whenever coal is being combusted. However, it is well known in the coal combustion community that cooking on a coal stove without ventilation - as is commonly done in many poor countries - is not good for your health, whilst modern coal fired plants e g in Europe and the US are not allowed to operate unless health and environment are properly protected, see e g [23].

The coal combustion community is able to speak for itself, however. Thus, it considers[24] three pillars of sustainable development: "*economic prosperity, social well-being and environmental sustainability*", (cf the Brundtland report above) and makes the following observations:

- *The Coal Industry Advisory Board recognises the paramount important sustainable development. The CIAB emphasises that policies must put equal weight on all three pillars of sustainable development in order to be effective.*
- *Coal will play an important role in energy systems that support sustainable development for the foreseeable future. This is because of coal's unique combination of advantages: it is affordable, is safe to transport and store, and is available from a wide range of sources. Coal therefore remains essential in achieving a diverse balanced and secure energy mix in developed countries; it can also meet the growing energy needs of many developing countries.*
- *Further improvement in coal's environmental performance will be required. While improved coal technologies have provided very substantial efficiency and emission improvements to date, accelerated technological effort is required to reduce greenhouse gas emissions. ..."*

Of course, carbon capture (carbon dioxide sequestration) is still at the development stage.

Assessments of merits and relative merits of various sources of energy is clearly outside the scope of the present paper. The important conclusion is instead that the application of the fundamental principles of sustainability is not straightforward. Tools for assessment and comparison are needed as well a knowledge bases structured in such a manner that it can be readily utilised.

2.3 Tools for assessment and need for appropriately structured knowledge

Tools for assessment of the functioning of industrial facilities originate from safety related work on steam engines with coal combustion. In the case of Sweden, this work started in an organized way in the 1890'ies, and the history is documented in the 100th year anniversary book "the good power" published by what is now ÅF AB[25].

Modern tools have largely been developed in conjunction with the planning and safe operation of advanced industrial facilities, especially in the chemical and nuclear industries, and examples include References [26-29].

General considerations in such analyses include the following:

- definition of the system, including what is prerequisites (outside the system) and what is inside
- identification and description of features, events and processes
- identification and studies of scenarios

- comparison (e.g. for best available technology) based on comparing one type of characteristic at the time, and to make overall assessment thereafter.

The Swedish research on nuclear waste disposal and associated planning, including financial planning, was inaugurated in the 1970ies, and have since then been rather intensive in industry (the major effort) as well as at the Swedish Radiation Safety Authority (SSM) and its predecessors. An overview of objectives and direction of the Authority work can be found in Norrby[4].

Examples of SSM and SSM sponsored work include the safety assessment SITE 94[30-31] and associated identification of features, events and processes[32-33] as well as scenario development[32-34]. The scientific knowledge base was utilised for the recurrent reviews of the waste management programme of the industry[35] and of the financial planning[5-14]. The SSM research has also formed the basis for various regulations, including [36-37].

The SSM work has preceded as well as been carried out in parallel with work in other countries, and also provided input to OECD/NEA and the IAEA in their "consolidating" reports, see e. g. [38-40] and [14], respectively.

The issues of decommissioning and nuclear waste are not any property of the technical community. They belong to everyone including the political sphere. Consequently, the research has included also the social sciences, and the developments have been similar to those in the natural sciences. What is now the Swedish National Council for Nuclear Waste has thus had a significant influence of the ethics involved, including the principle that a final repository should be designed to render controls and corrective measures unnecessary, but not impossible. Another example is risk perception and communication, see Reference [41].

Lessons learned from the SSM work include that assessments and comparisons is a topic in itself, and requires substantial efforts. Pitfalls are numerous, and structured approaches are essential. Critical areas include integration between disciplines and awareness of the sociological, financial and legal dimensions. Perspective on time is also important, including difficulties in making prognoses for chemical developments, awareness of all different relevant issues - which may change considerably with time - and the general level of scientific and technical knowledge which is being elevated all the time.

3 NUCLEAR ENERGY SUSTAINABILITY

3.1 Availability of uranium and the efficiency in its utilization

All contemporary nuclear power reactors use uranium based nuclear fuel. Uranium ore typically contains levels of uranium at a fraction of a percent or lower. This implies that most of the ore becomes tailings that may emit radioactive radon to the surrounding air, and various elements in the periodic table to the groundwater. Thus, remediation and reclamation are needed.

Reference [42] states that the total identified sources of uranium are sufficient to last for more than 100 years at the present level of consumption. The report also states that the deployment of advanced reactor and fuel cycle technologies could conceivably extend the long-term availability of uranium to thousands of years.

The present nuclear power reactors use uranium that has been enriched from the natural content of uranium-135 which is 0,7 % to a few or several percent. Such enrichment is expensive.

The efficiency of the utilisation of the fuel depends on the degree of breeding, i.e. to what extent uranium-238 is converted to plutonium-239 and other fissionable nuclides. In the Swedish light water moderated reactors, almost half of the total thermal energy generated originates from fission of transuranic elements together with fission of uranium-238 by high energy neutrons (45 % for a boiling water reactor according to Reference [43]). Most of the energy originates from fission of uranium-235 by thermal (low energy) neutrons.

There is a debate as to the sustainability of utilising only such a moderate fraction of the uranium-238 in the fuel in the nuclear energy reactors of today. The price of the natural uranium constitutes only a small fraction of the total cost for nuclear energy generation, and thus even ores with low contents of uranium might be mined. This increases the potentials for environmental impacts, however.

Other types of nuclear reactors than those currently in use in Sweden - and commonly used elsewhere - may utilize uranium-238 to a much larger extent (or use thorium). The formation of fission products is of course directly proportional to the burn-up. Since the fission products absorb neutrons much more than other matter in the reactor, reactivity decreases gradually after each refuelling. Thus, a high utilisation of uranium-238 generally presupposes reprocessing, in which process the fuel taken out of a reactor is being dissolved and the constituents separated. Typically, the categories obtained are as follows.

- Fission products that are converted to a form suitable for final disposal (usually glass). The fission products are highly radioactive.
- Depleted uranium, i. e. uranium having a content of uranium-235 that is lower than 0,7 % (which is the level for natural uranium).
- Transuranic elements, notably plutonium. Many of these isotopes are fissile by thermal neutrons, but some require high energy neutrons.

Advantages with reprocessing, in addition to the more efficient use of the uranium, include the burning of long-lived transuranium elements that would otherwise - the case of direct disposal of spent nuclear fuel - constitute part of the waste.

The Swedish work on breeder reactors in a historical perspective has recently been summarized by Fjaestad[44].

3.2 Protection of health and the environment

Most of the potential for detriment to health and the environment from nuclear power generation originates from radiation. The radionuclides emitting the radiation may be natural or artificial. (A nuclide is a specific combination of elementary particles in the nucleus of an atom).

A radionuclide emits radiation on conversion to either a form having a lower energy or to another nuclide (sometimes also a radionuclide). The natural radionuclides are either very long-lived or daughters of very long-lived ones. Man-made radionuclides show very large variations in longevity. Moderately long-lived ones give rise to most of the doses during operation of a nuclear facility, and very long-lived ones may have to be isolated from man and the biosphere for tens and hundreds of thousand years.

Radiation from different radionuclides may have very different absorption properties. Some types might be effectively arrested by a sheet of ordinary writing paper whilst other types might require as much as a few centimeters of steel to be attenuated by 50 %.

The International Commission on Radiological Protection (ICRP) was formed already in 1928. It has published numerous reports, including its recommendations[45] which form the basis for radiation protection worldwide. The basic principles are as follows:

The Principle of Justification: Any decision that alters the radiation exposure situation should do more good than harm.

The Principle of Optimisation of Protection: The likelihood of incurring exposure, the number of people exposed, and the magnitude of their individual doses should all be kept as low as reasonably achievable, taking into account economic and societal factors.

The Principle of Application of Dose Limits: The total dose to any individual from regulated sources in planned exposure situations other than medical exposure of patients should not exceed the appropriate limits specified by the Commission."

These principles of protection also apply to doses to future generations that might come about as a result of activities of the present generation, see e. g. [36-37].

So far, doses in Sweden have been kept well within limits for the very most part. In particular, doses to the public have been very far below the limits. We have also been fortunate in that radiological consequences of deviations from normal operating conditions have been insignificant.

Accidents do occur, however, as is illustrated by the Chernobyl disaster which affected Sweden by fall-out.[46] This particular type of accident is not technically possible with our designs of reactors. Nonetheless, it is an appropriate attitude from a safety point of view not to discard the possibilities of accidents.

Decommissioning of a nuclear facility typically costs at least a couple of orders of magnitude more than the demolition of a corresponding non-nuclear facility. The reason for this is the presence and properties of the remaining radionuclides, c. f. the description above. Moreover, the waste from decommissioning will have to be deposited, typically - and in the case of Sweden - together with other waste that has been kept in interim storage. However, according to present domestic plans, the spent nuclear fuel will be deposited in a separate facility.

This constitutes an environmental liability that has to be appropriately managed in terms of technical and financial planning, c. f. Section 1.1 above. Such appropriate management is an essential prerequisite for nuclear energy to qualify as sustainable.

4 RESULTS FROM INFORMATION SEARCHES AND ANALYSES

4.1 Historical perspective

It has been said that one should deal with the past in order better to shape the future. So what can we learn from history?

Sustainability awareness is often thought of as a modern phenomenon, but is actually likely to be at least as old as agriculture. Our forefathers freed their farmlands from stones and put them in walls to protect the crops from grazing animals. This example illustrates a strong solidarity with descendants.

Legislation on preservation and protection of forest extends beyond written records, and statements to this end exist even in our oldest written law, the older Westgothia law from around the year 1220. Early environmental legislation includes the statement by our queen Kristina on March 18th 1639 when she banned burn-beating by the penalty of banishment. Lack of perspective is actually partly a modern phenomenon, as is illustrated by the example of institutional investors that sometimes focus on short term profits and neglect long-term responsibilities and benefits.

The greenhouse effect has been known for more than 100 years, not only as some curiosity in exotic scientific literature, but also in popular and well circulated literature in which it was put forward in 1919 by the Swedish scientist Svante Arrhenius[47] as more or less a matter of course. It was pointed out as just about the only mechanism by means of which mankind might achieve an increase in world temperature. He also calculated that the carbon dioxide reserves in the atmosphere would last for only about 37 years should it not be replenished by microbial activity and coal combustion.

It is appropriate to wonder why the issue of global warming was laying dormant for about a century, and then relatively recently and suddenly became a major issue. This raises the question of what other important issues might escape contemporary attention only to become major issues tomorrow.

The book by Arrhenius[47] deals rather extensively with the issues of sustainability of mineral and energy resources, and it ends with emphasizing the need for recycling and the exhort: "*thou shalt not waste*".

Another example of what might be referred to as a "marination effect" concerns the awareness of the significance of man-made radionuclides.

Konrad Röntgen published his discovery of the x-rays and his x-ray tube in 1896. This was a great blessing in medicine since for the first time in history, doctors could look inside a human body without having to use a knife. X-ray equipment was installed in many places soon after the discovery, and in the case of Stockholm already in 1897. It then took a couple of decades before it was discovered that the radiation could give rise to cancers many years after exposure. (This was the rationale for the establishment of ICRP mentioned above).

The first controlled chain reaction took place in 1942. The hazard associated with radiation was well known at this time, but there was no experience with induced radioactivity. It took until the mid seventies until nuclear waste research caught on speed. According to the national implementer of this R&D programme, the Swedish Nuclear Fuel and Waste Management Company, SKB, the accumulated R&D cost until present at the price level of today is about G€1,90 (see www.skb.se).

A similar but less transient development of awareness is taking place since about 20 years on the issue of decommissioning of nuclear facilities. Examples of recent work is presented in the subsequent section 4.2 and 5.

4.2 Environmental liabilities and the polluter pays principle

Background to this section in the form of previous publications by the present authors can be found in References [5-14].

The polluter pays principle has been implemented in the Swedish Environmental code[48] as follows: "*Persons who pursue or have pursued an activity or taken a measure that causes damage or detriment to the environment shall be responsible, until such time as the damage or detriment ceases, for remedying it to the extent deemed reasonable ...*". Since there is no limit in time, a liability will exist as long as remediation has not been completed.

It was mentioned in Section 1.1 that for nuclear liabilities, financial resources are generally accumulated in segregated funds so that funding will be available at the time when it is needed. The funding should be sufficient but not superfluous. A prerequisite for the functioning of such a system is that future costs can be estimated with sufficient precision. There are numerous examples of deviations in this regard, and consequently a structured approach is warranted.

Firstly, it should be recognized that end of license is different from end of liability. End of license may come about under the The Radiation Protection Act[1] and the Act on Nuclear Activities[2]. Liabilities may, however, still remain even after end of license. End of liabilities may come about as a result of an Authority decision under the Nuclear Liability Act[3]. Planning for decommissioning is to be carried out under all these acts. It is not unusual that radiological and operational planning is carried out in one organisational unit and financial planning in another. As a consequence different plans may be prepared. If this is the case, then it is imperative that they are well harmonised.

Switching from an operational mode into one of decommissioning is a very large step in a facility. It happens easily, that data from radiologic surveying that is perfectly adequate for operation purposes is used for decommissioning planning where it may be totally inadequate. Decommissioning planning must be carried out based on its own needs. The main issues in this planning are radiological surveying (for the needs of decommissioning), methodology selection and identification and evaluation of potential cost raisers.

At least for private enterprises, the nuclear[3] as well as the financial[49-52] legislations require that liabilities be calculated with a high or even very high precision. The harshest punishment (prison) might come about as a consequence of the penal law[53] in cases where the financial reporting is grossly misleading.

Such deviation might actually not be very far fledged since it has proven recurrently difficult to make precise cost estimations for decommissioning, especially for old research facilities. A good advice is therefore to follow - or at least carefully check - existing standards[54-55], and to conscientiously declare any remaining uncertainties together with the reasons why they still exist. It should be noted that errors in estimates of environmental liabilities may easily escape identification and attention by the company auditors. The reason for this is that they usually lack the detailed scientific and technical knowledge that is required in order to find such insufficiencies. Consequently, deviations may escalate with time, and thereby become increasingly difficult to deal with once they are discovered.

What is just said implies that the timing of the planning for decommissioning is dictated by the needs of the financial planning. This is "unnatural" for many technically oriented people, since much of the planning needed for financial reasons could preferably be deferred if the relevant considerations were solely technical.

Although the responsibility for health and environment - including liabilities - rests solely with the owners and operators, it is essential that there also exists a public oversight, an Authority that instigates and controls, and thereby executes the role of ombudsman for the public. Only then can full credibility be earned regarding sustainability of nuclear energy with regard to decommissioning and waste management.[5,56]

5 RESULTS FROM FIELD STUDIES

5.1 Introduction

When dealing with intra-generational tasks and liabilities, it is crucial that information is disseminated and communicated and that result of research work is published in scientific as well as in ordinary media. Such issues may concern investments in infrastructure, such as, for example, the Öresund bridge that connects the Swedish town Malmö with the Danish capital Copenhagen, and which was inaugurated in the year 2000. Decisions on long-term investments that largely benefit future generations, but have limited benefits for the present one, are normally passed only after lengthy and cumbersome processes. The decision to build the bridge was made in the late 1980'ies and the construction was carried out during the 1990'ies, but detailed plans and cost estimated existed already in the 1920'ies. Part of the financing of the bridge comes from tolls which are based on a time span of one generation, but actually, the toll should be based on the entire life-span of the bridge which is probably considerably longer. Such a longer perspective would thus probably lead to a lower toll today, since also future generations will contribute to the payment. The present system is fair, however, if the life-time were actually only one generation.

The basic principle that is governing investment decisions is that the cost shall be allocated according to usage. This principle is fairly well accepted in normal investment situations, and also works reasonably well when the perspective is at most one generation.

In the case of nuclear waste, the cost for decommissioning nuclear facilities and for managing nuclear waste may arise after longer times than one generation, possibly even several. In this respect, nuclear energy is different as compared to This appears to be a major difference between nuclear energy and the pure, renewable and long-term sustainable energy sources like hydro power, windmills, sun panels e. t. c. The same comparison can be made between nuclear energy and fossil fuels like coal, oil and natural gas. Nuclear energy, in comparison with fossil fuels, gives rise to almost as good a carbon dioxide reduction as does energy from renewable sources. Consequently, nuclear energy might be labelled as semi-sustainable, i. e. sustainable under certain conditions. The "technical" aspects of this - management of the long-term liabilities - have been dealt with earlier in this paper. But the issue of sustainability also relates to the values held by

stakeholders in our society. Since we discuss trans-generational issues, it is of particular importance to compile the views held by the next generation. Such data and their evaluations are therefore presented in the subsequent sections.

It should be noted in this regard, however, that the intergenerational liabilities and when prudently managed also corresponding cash-flows may be highly different depending on the selection of energy source. Investments in energy sources like windmills or sun-reflectors are normally written off within one generation and the cost for dismantling is normally just a fraction of the original investment. Other major sources of energy may be used two and up to three generations as is the case for hydro power plants, but they too have a relationship between investment and dismantling (disinvestment) where the latter is just a fraction of the former. This relationship is in principle valid for the renewable fuels and renewable energy production.

5.2 The field study

Sustainability is about the future, and about whether people in the future will experience an improved or a depleted basis for their existence. Of course, we cannot ask them, and consequently we have to rely on the adequacy of our own preferences.

There is, however, a possibility to get some information on the issue by asking people that are young today since they constitute the next generation. This is not often done however, since surveys typically are carried out via paper forms that are sent out by ordinary mail. Since young people today communicate by other means, the response rates are typically insufficiently low.

Consequently, the approach chosen in the present work comprises personal interviews of 1444 persons and the response rate achieved is close to 100 %. The first stage of the present work has been reported in [6-7]. It was carried out during 2007-2008 in the towns Gdansk, Lublin and Elblag in Poland. The second stage was carried out during the first part of 2010 in the towns Trnava in Slovakia and Jaworzno (Katowice), Poland.

In the first part of this study, in depth interviews were conducted with the purpose to clarify if the questionnaire needed to be altered before the collection of survey-data started. In this process the questionnaire was used to retrieve information from the above mentioned stratified samples. In the first part of study a total number of 780 answers were collected. In the second part an additional number of 660 answers were collected.

5.2 Analysis of the results and compilation of the findings

Some of the major results are presented in Tables 1-6 together with the questions asked. These results will be evaluated in the following.

No difference was found between the genders. Also no difference was found between the towns in spite of the fact that Jaworzno is a coal mining town that is surrounded with coal condensation power plants, and the town of Trnava is close to the nuclear power reactors on the Bouniche site. Two of these reactors have been shut down permanently, and are thus in the transition phase for decommissioning, and the others are still in operation.

First question: Which form of energy do you prefer? The data in Table 1 shows that the younger generation prefers energy production by sustainable sources like hydro power and windmills. The other items are also sustainable alternatives such as e. g. sun collectors, local methane gas production, and terminal heat. On this question, 1443 students ticked in 1 979 answers on the various alternatives.

According to these answers, the most popular energy alternative is windmills, which was preferred by 33% of the students. Hydro power was preferred by 32 %, followed by nuclear power with 25 %. Energy produced by coal (coal condense power plants) was seen as an acceptable alternative for only 4,4 % of the respondents.

Table 1. Which form of energy do you prefer?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
Coal		9	22	0	8	11	29	29	59	88	4,4
Nuclear Power		168	115	77	56	31	42	276	213	489	24,7
Hydro Power		182	181	52	122	33	60	267	363	630	31,8
Windmills		184	213	52	117	34	57	270	387	657	33,2
Miscellaneous		25	24	24	24	9	9	58	57	115	5,8
Total		568	555	205	327	118	197	900	1079	1979	100

Table 2. Who shall take care of the Swedish nuclear waste?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
Sweden		348	344	51	112	155	267	554	723	1277	88,1
Other countries		46	48	18	13	19	29	83	90	173	11,9
Total		394	392	69	125	174	296	637	813	1450	100

Table 3. Can you consider having a site for final disposal of nuclear waste near to your home?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
Yes		90	62	17	22	19	16	126	100	226	15,6
No		303	326	157	275	48	109	508	710	1218	84,4
Total		393	388	174	297	67	125	634	810	1444	100

Table 4. What is your opinion towards a site for final disposal of nuclear waste?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
In favour		112	83	37	64	22	31	171	178	349	24,3
Against		179	209	82	158	33	61	294	428	722	50,2
Indifferent		100	96	51	75	12	33	163	204	367	25,5
Total		391	388	170	297	67	125	628	810	1438	100

Table 5. Which aspects is in your opinion crucial for the acceptance of a final disposal?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
Safety aspect		210	232	96	165	52	104	358	501	859	38,4
Environmental aspect		143	166	62	123	41	86	246	375	621	27,8
Location aspect, as far from home as possible		118	146	29	69	36	77	183	292	475	21,2
Method and techniques		53	56	21	26	17	20	91	102	193	8,6
Economic growth		19	10	8	11	12	11	39	32	71	3,2
Miscellaneous		7	4	5	0	0	0	12	4	16	0,8
Total		550	614	221	394	241	445	929	1303	2235	100

Table 6. Which of these values do you base your opinion on?

Answer	City	Gdansk-Elbag-Lublin		Trnava		Katowice (Jaworzno)		Sub SUM		SUM	
	Gender	M	W	M	W	M	W	M	W	M+W	%
Trust for the involved stakeholders		78	59	15	13	9	15	102	87	189	11,5
Opportunities linked to a disposal for nuclear waste		64	44	15	14	11	18	90	76	166	10,1
Lack of knowledge		120	149	57	154	22	67	199	370	569	34,6
Uneasy of the risks		157	193	81	123	29	67	267	383	650	39,5
Miscellaneous		34	22	7	0	3	6	44	28	72	4,3
Total		453	467	175	304	74	173	702	944	1646	100

This data supports the statement that the younger generation has a preference for sustainable sources, while traditional sources like coal and other fossil fuels have a low priority. Nuclear Power might best be described as a special case since it is non-sustainable in a strict sense but has lower carbon dioxide emissions compared to the traditional fossil fuels. As many as one fourth of the students accept nuclear power as an energy source.

Second question: Who shall take care of the Swedish nuclear waste? See Table 2. This question was asked in order to investigate the propensity of younger citizens to adopt and follow the polluter pays principle. The question is particularly relevant in to Poland since it has long borders to the Baltic Sea, and since - according to the joint-convention - all neighbouring countries are to inform each other about major nuclear activities. Hence, Poland has a treaty-based right to be informed about nuclear waste management in the area.

The data presented in Table 2 below supports the statement that younger citizens accept the polluter pays principle (PPP). It is noticeable that as many as 88 % are in favour of what may be described as a strict application of PPP according to which every country takes care of its own nuclear waste. Another 12 % can accept a joint handling of nuclear waste within Europe. The result is in accordance with the Swedish law that states that it is the operator / owner of a nuclear

facility that has the full responsibility for the decommissioning and the waste management, and the Swedish strategy to finally dispose all nuclear waste within the country.

Third question: Can you consider having a site for final disposal of nuclear waste near to your home? See Table 3. The response to this question shows that the younger generation has a clearly do not prefer to have a facility for long term storage of nuclear waste near to their homes and living quarters. This view was held by 84 % of the respondents.

Fourth question: What is your opinion towards a site for final disposal of nuclear waste? See Table 4. This fourth question is related to the third question but it is somewhat rephrased. In this case, the question is more general and does not relate to the homes of the respondents. In this case, it is possible to see that still more than half of the respondents are against a repository, and the group that are in favour has increased from 16 % to 24 %. Another major difference is that the level of respondents that says that they do not have any strong opinion in the subject are a little more than one fourth. If the responses "indifferent" were to be relocated to the two other groups, there would be around one third that is in favour and two thirds that still are against a repository for nuclear waste.

Fifth question: Which aspects is in your opinion crucial for the acceptance of a final disposal? The responses showed that 859 answers out of a total of 2235, i. e. no less than 38 %, gave the response that the safety aspect is the most important factor to consider in the process of dismantling and decommissioning of nuclear power plant and associated handling of nuclear waste. The second most important factor is the environmental aspect with a total response frequency of 28 %. On third place is the geographic localization to the nature that the disposal of nuclear and radioactive waste should take place as far as possible from home. This factor was stressed as crucial in 475 answers out of a total of 2235 answers, hence this factor may account for 21 % of the total number of answers given.

Hence, in the aggregated sample these three reasons are together given an explanatory power of nearly seven eighths, or more exactly 87 %. The factors techniques used (8,6 %), economic growth or financial wealth (3,2 %) and other explanations (0,8 %) are less significant.

Sixth question: What values do you base your opinion on? See Table 6. The data shows that unease with the risks is the most frequent answer, and it comes from 40 % of the respondents. The second most frequent answer is lack of knowledge with 35 % support. Next is trust for the stakeholder involved with 12 % and then opportunities linked to a disposal of nuclear waste with 10 %. Finally, the smallest group which account for 4,3 % of the total, gave other reasons for their views.

5.3 Conclusions and lessons learned from the field study

The results and findings above illustrate how interviews can provide insight in the views and opinions of the next generation. Further studies might include prerequisites for accepting or rejecting a final repository near to ones home. Such prerequisites might include compensation given to the individuals directly or indirectly via the municipalities in the region..

It should be noted that that if compensation is given to facilitate acceptance for a repository in a region the same amount must in turn be included in the nuclear waste liability. Actually, since we do not know whether the coming generations will accept repositories of waste near their homes, the general principle of prudence demands that the degree of acceptance are estimated and that appropriate accruals are made for this in the accounts of the companies. If the general situation is that there is a regional or national fund, an equal injection must be done to the segregated waste fund.

If one were to have a system for calculation the total cost for future management of the nuclear waste that also includes the estimated need for compensation to the coming generations for the

negative effect of having a repository in the region, then it might be reasoned that any such compensation should be balanced against the contribution of nuclear energy to the reduction of the carbon dioxide emissions, and thus the mitigation of the global warming.

It was mentioned above that it is not possible to find any difference in opinion between the previous cluster samples from Gdansk, Elblag and Lublin compared to the clusters from Jaworzno just out-side Katowice and the Slovakian clusters from Trnava. Thus, we have not found any data that might support the hypothesis that younger citizens should tend to favour regional energy sources on behalf of sustainable energy sources. The data indicates that younger citizens base their values on the risks connected to the handling of nuclear waste together with lack of knowledge and low efficiency in the knowledge transfer. This may be interpreted as a cautious and conservative view regarding the total risks.

Only 11,5 % of the young citizens said that they based their opinion on trust for the stakeholders (cf. Question 6 and Table 6). At the same time responses are high for unease with the risks together with lack of knowledge. This shows that concerns relating to protection of health and the environment, i. e. fundamental questions, have a higher priority than opportunistic issues like future benefits.

One of the most crucial criteria for acceptance of a repository for nuclear waste is that appropriate monetary resources have been accumulated in segregated funds. The basis of the associated calculations should include all cost today and in the future. The field study data that have been presented support the maxim that it is essential that this cost includes the assumed cost for compensation to the perceived draw-back for future generations.

Another potential cost raiser for the future generations may be retrieval. If, for some reason, future generations find that they wish to manage already deposited waste in some other way, then there will be costs for retrieving it as well as costs for whatever new alternative that is to be implemented. It can be expected that the monetary resources in the segregated funds - in spite of the reserves for unexpected costs - will not be sufficient in such a scenario. It was proposed in the Authority review of the program for the management of the nuclear waste e. t. c. that The Swedish Nuclear Fuel and Waste Management Company published in 1992 that only 10 % of the spent fuel in store would be deposited in a first stage, and that some years would be allowed to pass before the bulk of the waste was deposited. One of the reasons for this suggestion was that retrieval of 10 % would be a manageable option also from a financial perspective.

Obviously, consensus will have to be found on the principles to be used for the evaluations of the nuclear liabilities, and implementers of waste disposal will have to come up with solutions and documentation that can not only be accepted in wide circles today, but also stand the tests of time. If it can be concluded that the resources in the segregated funds actually correspond to the full nuclear liability, then nuclear energy may be accepted as a partially sustainable or semi-sustainable.

From a more practical point of view it is possible to claim that the cost for compensating future generations can be a major cost driver, since it has been omitted in most calculations of nuclear waste.

6 CONCLUDING REMARKS

The definitions on sustainability are quite clear. Analyses have nonetheless been carried out in different ways in different areas of technology, and the results are not coherent. Consequently, methodologies are needed that enable comparisons to be carried out in a more uniform and systematic manner. This requires that appropriately structured knowledge bases be established together with efficient modes for communication and knowledge transfer.

The sustainability of nuclear energy is not just a matter of availability of uranium and efficiency in its utilization. Protection of health and the environment - now and in the future - is a necessary prerequisite in this regard. The protection in the future must be carried out in full compliance with the polluter pays principle. It is not necessarily required that the generation that benefits from the nuclear electricity also actually carries out the decommissioning of the nuclear facilities and disposes permanently of all the waste. There may be good technical reasons to operate nuclear facilities for the optimum lengths of time, and this may imply times longer than one generation. It is essential, however, that the benefitting generation leaves behind the full technical solutions together with all the financial resources needed for adequate protection of health and the environment. So far, and in the case of Sweden, this has meant green field conditions.

The historical compilation shows that sustainability awareness may well appear in the form of trends. This calls for comprehensive and systematic approaches based on appropriately structured knowledge bases.

It is a natural element of human nature as well as human culture to care about the offspring, and to leave behind a better basis for existence. Forces that counteract this may include exaggerated emphasis on quarterly reports by institutional investors. The concern for descendants is not unconditional. Research suggests that an individual will sacrifice consumption to benefit future generations only if a guarantee exists that others will do the same.[56] Thus, bodies are required as ombudsmen for the public to ensure general compliance. Such solutions are proposed in Reference [56].

Planning for decommissioning and the estimation of associated costs have proven to be treacherous. Careful analyses are needed in order to obtain the precision required. This includes radiological surveying, selection of techniques to be used and identification and evaluation of potential cost raisers. It also includes comparison with already completed projects. The timing of such evaluations is dictated by the needs for financial planning, and this may imply that it must be carried out many years, perhaps decades, before the plans may be needed for purely technical reasons.

It is the duty of our generation to assess what is adequate and to find responsible solutions, and in this sense we must act as ombudsmen for the future generations. We do, however, have access to the next generation. It is therefore imperative that we learn about their values and carefully consider what they share with us. It is probably safe to assume that the perspectives and requirements will be different in the future, and we should strive for solutions that have good prognoses for standing the ultimate tests of time. For instance, it is only forty years since Sweden participated in a sea-dumping campaign that was carried out under the auspices of the United Nations. Such a practice is far from acceptable today.

In this perspective, it is of crucial importance to include stakeholders in general, and younger stakeholders in particular, in knowledge transfer and dialogue. It is also important that information is passed on to future generations. It is imperative that this process is supported by society e. g. in terms of funding of financial resources and information about nuclear waste liabilities.

7 REFERENCES

- [1] *Radiation Protection Act*. (In Swedish: Strålskyddslag). SFS 1988:220.
- [2] *Act on Nuclear Activities*. (In Swedish: Lag om kärnteknisk verksamhet). SFS 1984:3.
- [3] *Nuclear Liability act*. (In Swedish: Lag om finansiella åtgärder för hanteringen av restprodukter från kärnteknisk verksamhet). SFS 2006:647.
- [4] Norrby, S., *A Regulatory Authority's Needs for R&D to Develop Competence in Assessing Nuclear Waste Management Safety*. Scientific Basis for Nuclear Waste Management XXI,

- edited by Ian G. McKinley, Charles McCombie (Mater. Res. Soc. Symp. Proc. Vol. 506, Warrendale, PA, 1997).
- [5] Lindskog, S. & Sjöblom, R., *Implementation of the polluter pays principle - example of planning for decommissioning*. Environmental Economics and Investment Assessment III, 3-5 May 2008, Limassol, Cyprus. WIT Transactions on Ecology and the Environment, Vol 131. Wit Press, 2010. ISBN 978-1-84564-436-9.
 - [6] Labor, B. & Lindskog, S., *Values held by young stakeholders on financial planning regarding liabilities for nuclear decommissioning*. Environmental Economics and Investment Assessment III, 3-5 May 2008, Limassol, Cyprus. WIT Transactions on Ecology and the Environment, Vol 131. Wit Press, 2010. ISBN 978-1-84564-436-9.
 - [7] Tyszkiewicz, B. and Labor, B., *A Survey of Younger Citizens Values towards Decommissioning and Dismantling of Older Nuclear Facilities in a European Perspective*. SKI* Report 2008:52. June, 2008.
 - [8] Lindskog, S. & Sjöblom, R., *Radiological, technical and financial planning for decommissioning of small nuclear facilities in Sweden*. Proceedings of the The 12th International Conference on Environmental Remediation and Radioactive Waste Management, ICEM2009, October 11-15, 2009, Liverpool, UK.
 - [9] Lindskog, S., Cato, A. & Sjöblom, R., *Estimations of costs for dismantling, decommissioning and associated waste management of nuclear facilities, and associated impact on decision processes, functioning of markets and the distribution of responsibilities between generations*. Environmental Economics II, 28-30 May 2008, Cadiz, Spain. WIT Transactions on Ecology and the Environment, Vol 108. Wit Press, 2008. ISBN 978-1-84564-112-2.
 - [10] Lindskog, S. & Sjöblom, R., *Regulation evolution in Sweden with emphasis on financial aspects of decommissioning*. Decommissioning Challenges: an Industrial Reality? Sept. 28 to Oct.2, 2008 – Avignon, France.
 - [11] Iversen, K., Salmenhaara, S., Backe, S., Cato, A., Lindskog, S., Callander, C., Efraimsson, H., Andersson, I. & R. Sjöblom, R., *Cost calculations at early stages of nuclear facilities in the Nordic Countries*. The 11th International Conference on Environmental Remediation and Radioactive Waste Management. September 2-6, 2007, Bruges (Brugge), Belgium.
 - [12] Cato, A., Lindskog, S. & Sjöblom, R., *Financial Planning as a Tool for Efficient and Timely Decommissioning of Nuclear Research Facilities*. American Nuclear Society. Decommissioning, Decontamination and Reutilization. Capturing Decommissioning Lessons Learned. September 16-19, 2007, Chattanooga, Tennessee, USA.
 - [13] Sjöblom, R., Sjö, C., Lindskog, S. & Cato, A., *Early stage cost calculations for determination and decommissioning of nuclear research facilities*. The 10th International Conference on Environmental Remediation and Radioactive Waste Management. Glasgow, UK, 4-8 September, 2005.
 - [14] Laraia, M. & McIntyre, P. J., responsible officers; Cato, A., Lindskog, S. & Sjöblom, R., et al contributors. *Decommissioning of research reactors and other small facilities by making optimal use of available resources*. IAEA Report Series 463, Vienna 2008.
 - [15] Brundtland, G., Chairman, *Our Common Future (The Brundtland report)*. World Commission on environment and Development, Oxford University Press, Oxford, United Kingdom, 1987.
 - [16] See OECD. '*Guiding Principles Concerning International Economic Aspects of Environmental Policies*', Council Recommendation C(72)128, Paris, 26 May 1972.
 - [17] *Deciding for the Future: Balancing Risks, Costs, and Benefits Fairly Across Generations*. A Report by a Panel of the National Academy of Public Administration (NAPA) for the U.S. Department of Energy. June 1997.
 - [18] *Decommissioning Funding: Ethics, Implementation, Uncertainties*. Status Report 2006, OECD/NEA No. 5996, 2006.

- [19] *Charter of ethics*. Four Pillars of Support for a Fast-Globalizing Nuclear Industry. World Nuclear Association brochure.
- [20] *Nuclear Energy in a Sustainable Development Perspective*. OECD Nuclear Energy Agency, 2000, ISBN: 926418278X.
- [21] *Selecting Strategies for the Decommissioning of Nuclear Facilities*. A Status Report. OECD Nuclear Energy Agency, 2006. ISBN 9264023054.
- [22] *Radioactive waste in perspective*. OECD Nuclear Energy Agency, Report No 6350, 2010.
- [23] *Directive 2001/80/EC of the European Parliament and the Council of 23 October 2001 on the limitation of emissions of certain pollutants into the air from large combustion plants*.
- [24] *Coal and sustainable development*. A position paper by the Coal Industry Advisory Board prepared for the World Summit on Sustainable Development Johannesburg, OECD International Energy Agency. August 2002.
- [25] Wickbom, U., *The good power* (In Swedish: "Den goda kraften"). GullersBild, Uppsala, 1995. ISBN 9197250406.
- [26] Saaty, T. L., *The analytic network process, Decision making with dependence and feedback*. RWS Publications, Pittsburg, USA, 2001. ISBN 0962031798.
- [27] Saaty, T. L. & Vargas L. G., *Decision making in economic, political, social and technological environments with the analytic hierarchy process*. The analytic hierarchy process series Vol VII. RWS Publications, Pittsburg, USA, 1994. ISBN 0962031771.
- [28] Petersen, D., *Analyzing safety system effectiveness*, 3rd edition. Van Nostrand Reinhold, 1996. ISBN 0442021801.
- [29] Chapman, N. A. & McKinley, I. G., *The geological disposal of nuclear waste*. John Wiley & Sons, 1987. ISBN 0471912492.
- [30] *SKI (1996). SKI SITE-94 Deep Repository Performance Assessment Project*. SKI* Report 96:36 (2 volumes).
- [31] Andersson, J., Dverstorp, B., Sjöblom, R. & Wingefors, S., *The SKI repository performance assessment project SITE-94*. International High Level Waste Management Conference, 1–5 May, 1995, Las Vegas, Nevada, U.S.A.
- [32] Andersson, J., Editor, *The joint SKI/SKB scenario development project*. SKI* Technical Report 89:14, Stockholm, December 1989. (This report is also published as SKB Technical Report 89-35).
- [33] Stenhouse, M., Chapman, N. & Sumerlin, T., *SITE 94. Scenario Development. FEP audit list preparation: Methodology and presentation*. SKI* Technical Report 93:27, Stockholm, April 1993.
- [34] Chapman, N. S., Andersson, J., Robinson, P., Skagius, K., Wene, C-O., Wiborgh, M. & Wingefors, S., *Devising scenarios for future repository evolution: a rigorous methodology*. Mat. Res. Soc. Symp. Proc. Vol. 353. Materials Research Society, 1995.
- [35] Sjöblom, R., Dverstorp, B. & Wingefors, S., *Objectives and limitations of scientific studies with reference to the Swedish RD&D Programme 1992 for handling and final disposal of nuclear waste*. Mater. Res. Soc. Symp. Proc. Volume 333, Pittsburgh, PA 1994.
- [36] *Strålsäkerhetsmyndighetens föreskrifter om slutförvaring av kärnämne och kärnavfall*. SSMFS 2008:21 (In Swedish. SSM:s regulations concerning safety in connection with the disposal of nuclear material and nuclear waste. Unofficial translation exists as SKIFS 2002:1)
- [37] *Strålsäkerhetsmyndighetens föreskrifter om skydd av hälsa och miljön vid slutligt omhändertagande av använt kärnbränsle och kärnavfall*. (in Swedish. Regulations on the protection of human health and the environment in connection with the final management of spent nuclear fuel and nuclear waste. Unofficial translation exists as SSIFS 1998:1 and SSI FS 2005:5).

- [38] *Features, Events and Processes (FEPs) for geologic disposal of radioactive waste, An international database*. OECD Nuclear Energy Agency, 2000. ISBN 9789264185142.
- [39] *Scenario development, methods and practice; An evaluation based on the NEA Workshop on scenario development, Madrid, Spain, May 1999*. OECD Nuclear Energy Agency, 2001. ISBN 9789264187221.
- [40] *Cost Estimation for decommissioning, An international overview of cost elements, estimation practices and reporting requirements*. OECD Nuclear Energy Agency, Report No 6831, 2010. ISBN 978-92-64-99133-0
- [41] *Risk perspective on final disposal of nuclear waste – individual, society and communication An in-depth report supplementing KASAM's Nuclear Waste State-of-the-Art Report 2007 (SOU 2007:38)*. Swedish National Council for Nuclear Waste, Report 2007:4e.
- [42] *Uranium 2009, Resources, Production and Demand*. Jointly prepared by OECD, Nuclear Energy Agency and International Atomic Energy Agency (IAEA). OECD Publishing, 2010. ISBN: 9789264047891.
- [43] *Spent nuclear fuel and radioactive waste. Parts I and II*. AKA public investigation. (In Swedish) Department of Industry, SOU 1976:30 and SOU 1976:31. ISBN 91-38-02971-5 and ISBN 91-38-02972-3, respectively.
- [44] Fjaestad, M., *Why did the breeder reactor fail? - Swedish and international nuclear development in a cold war context*. CESIS Electronic working paper series, Paper No. 186. The Royal Institute of Technology. Centre of Excellence for Science and Innovation Studies (CESIS). Stockholm, August 2009.
- [45] *The 2007 Recommendations of the International Commission on Radiological Protection*. ICRP Publication 103, 2007.
- [46] Moberg, L., editor, *The Chernobyl fallout in Sweden. Results from a research programme on environmental radiology*. The Swedish Radiation Protection Institute, 1991. ISBN 9163007215.
- [47] Arrhenius, S., *Kemien och det moderna livet*. Hugo Gebers Förlag, Stockholm, 1919. German translation: *Die Chemie und das moderne Leben*. Autoris. deutsche Ausgabe von B. Finkelstein. Lpz., Akadem. Vlganst., 1922. English translation: *Chemistry in Modern Life*. Translated from the Swedish and revised by Clifford Shattuck Leonard, New York, D. van Nostrand Co., 1925.
- [48] *The Swedish Environmental Code*. English translation. Ds 2000:61. (In Swedish Miljöbalk, SFS 1998:808).
- [49] *Accounting Act*. (In Swedish: Bokföringslag). SFS 1999:1078.
- [50] *Annual Reports Act*. (In Swedish: Årsredovisningslag). SFS 1995:1554
- [51] *The Swedish Companies Act*. (In Swedish: Aktieförlagslagen). SFS 2005:551.
- [52] *International Financial Reporting Standards and International Accounting Standards (IFRS/IAS)*. International Accounting Standards Board. 2008.
- [53] *The Swedish Penal Code*. (In Swedish: Brottsbalk). SFS 1962:700.
- [54] *Standard Guide for Estimating Monetary Costs and Liabilities for Environmental Matters*. ASTM Standard E 2137 – 06, December 2006.
- [55] *Standard Guide for Disclosure of Environmental Liabilities*. ASTM Standard E 2173 – 07, April 2007.
- [56] Padilla, E., *Intergenerational equity and sustainability*. Ecological Economics 41 (2002) 69-83.
- * SKI = Swedish Nuclear Power Inspectorate, now Swedish Radiation Safety Authority (SSM). Reports are available at www.ssm.se.